

Comprehensive Neurofeedback Bibliography

Epilepsy

- Andrews, D. J., & Schonfeld, W. H. (1992). Predictive factors for controlling seizures using a behavioural approach. Seizure, 1(2), 111-116.
- Ayers, M. E. (1988). Long-term clinical treatment follow-up of EEG neurofeedback for epilepsy. Epilepsy Support Program Newsletter, 3(2), 8-9.
- Ayers, M. E. (1995). Long-term follow-up of EEG neurofeedback with absence seizures. Biofeedback & Self-Regulation, 20(3), 309-310.
- Birbaumer, N., Elbert, T., Rockstroh, B., Daum, I., Wolf, P., & Canavan, A. (1991). Clinical psychological treatment of epileptic seizures: A controlled study. Chapter in A. Ehlers et al. (Eds.), Perspectives and Promises of Clinical Psychology. New York: Plenum Press.
- Cott, A., Pavloski, R. P., & Black, A. H. (1979). Reducing epileptic seizures through operant conditioning of central nervous system activity: Procedural variables. Science, 203, 73-75.
- Daum, I., Rockstroh, B., Birbaumer, N., Elbert, T., Canavan, A., Lutzenberger, W. (1993). Behavioral treatment of slow cortical potentials in intractable epilepsy: Neuropsychological predictors of outcome. Journal of Neurosurgery & Psychiatry, 56 94-97.
- Elbert, T., Rockstroh, B., Canavan, A., Birbaumer, N., Lutzenberger, W., von Bulow, I., & Linden, A. (1990). Self-regulation of slow cortical potentials and its role in epileptogenesis. Chapter in J. Carlson & R. Seifert (Eds.), Biobehavioral Self-Regulation and Health. New York: Plenum Press.
- Elbertsen, B., & Klove, H. (1976). Clinical application of biofeedback training in epilepsy. Scandinavian Journal of Behavior Therapy, 5, 133-144.
- Engel, J., Troupin, A. S., Crandall, P. H., Serman, M. B., & Wasterlain, C. G. (1982). Recent developments in the diagnosis and therapy of epilepsy. Annals of Internal Medicine, 97, 584-598.
- Finley, W. W. (1976). Effects of sham-feedback following successful SMR training in an epileptic: A follow-up study. Biofeedback & Self-Regulation, 1, 227-235.
- Finley, W. W. (1977). Operant conditioning of the EEG in two patients with epilepsy: Methodologic and clinical considerations. Pavlovian Journal of Biological Science, 12(2), 93-111.
- Finley, W. W., Smith, H. A., & Etherton, M. D. (1975). Reduction of seizures and normalization of the EEG in a severe epileptic following sensorimotor biofeedback training: Preliminary study. Biological Psychiatry, 2, 189-203.
- Fischer-Williams, M., & Clifford, B. C. (1988). Biofeedback treatment of patients with seizures: A pilot study of EEG feedback. Electroencephalography & Clinical Neurophysiology, 70(1), 18.

- Hanson, L. M., Trudeau, D. L., & Grace, D. L. (1996). Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure disorder: A case report. Journal of Neurotherapy, 2, 6-14.
- Kaplan, B. J. (1975). Biofeedback in epileptics: Equivocal relationship of reinforced EEG frequency to seizure reduction. Epilepsia, 16, 477-485.
- Kotchoubey, B., Busch, S., Strehl, U., & Birbaumer, N. (1999). Changes in EEG power spectra during biofeedback of slow cortical potentials in epilepsy. Applied Psychophysiology & Biofeedback, 24(4), 213-233.
- Kotchoubey, B., Strehl, U., Uhlmann, C., Holzapfel, S., Konig, M., Froscher, W., Blankenhorn, V., & Birbaumer, N. (2001). Modification of slow cortical potentials in patients with refractory epilepsy: A controlled outcome study. Epilepsia, 42(3), 406-416.
- Kuhlman, W. N. (1978). EEG feedback training of epileptic patients: Clinical and electroencephalographic analysis. Electroencephalography & Clinical Neurophysiology, 45(6), 699-710.
- Kuhlman, W. N., & Allison, T. (1977). EEG feedback training in the treatment of epilepsy: Some questions and some answers. Pavlovian Journal of Biological Science, 12(2), 112-122.
- Lantz, D., & Serman, M. B. (1988). Neuropsychological assessment of subjects with uncontrolled epilepsy: Effects of EEG biofeedback training. Epilepsia, 29(2), 163-171.
- Lubar, J. F., & Bahler, W. W. (1976). Behavioral management of epileptic seizures following EEG biofeedback training of the sensorimotor rhythm. Biofeedback & Self-Regulation, 7, 77-104.
- Lubar, J. F., Shabsin, H. S., Natelson, S. E. et al. (1981). EEG operant conditioning in intractible epileptics. Archives of Neurology, 38, 700-704.
- Lubar, J. F., & Shouse, M. N. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. Advances in Clinical Child Psychology, 1, 204-251.
- Monderer, R. S., Harrison, D. M., & Haut, S. R. (2002). Review: Neurofeedback and epilepsy. Epilepsy & Behavior, 3, 214-218.
- Quy, R. J., Hutt, S. J., & Forrest, S. (1979). Sensorimotor rhythm feedback training and epilepsy: Some methodological and conceptual issues. Biological Psychology, 9, 129-149.
- Rockstroh, B., Elbert, T., Birbaumer, N., Wolf, P., Duchtig-Roth, A., Reker, M., Daum, I., Lutzenberger, W., & Dichgans, J. (1993). Cortical self-regulation in patients with epilepsies. Epilepsy Research, 14, 63-72.
- Rudrud, E., & Striefel, S. (1981). Eight to twelve hertz occipital EEG training with moderate and severely retarded epileptic individuals. Australian Journal of Developmental Disabilities, 7(4), 173-179.
- Seifert, A. R., & Lubar, J. F. (1975). Reduction of epileptic seizures through EEG biofeedback training. Biological Psychology, 3, 157-184.
- Serman, M. B., & Friar, L. (1972). Suppression of seizures in epileptics following sensorimotor EEG feedback training. Electroencephalography & Clinical Neurophysiology, 33, 89-95.
- Serman, M. B. (1973a). Neurophysiological and clinical studies of sensorimotor EEG biofeedback training: Some effects on epilepsy. Seminars in Psychiatry, 5(4), 507-525.
- Serman, M. B. (1973b). Neurophysiological and clinical studies of sensorimotor EEG biofeedback training: Some effects on epilepsy. Chapter in L. Birk (Ed.), Biofeedback: Behavioral Medicine. New York: Grune & Stratton, pp. 147-165.

- Sterman, M. B., Macdonald, L. R., & Stone, R. K. (1974). Biofeedback training of the sensorimotor electroencephalogram rhythm in man: Effects on epilepsy. Epilepsia, 15(3), 395-416.
- Sterman, M. B. (1977). Sensorimotor EEG operant conditioning: Experimental and clinical effects. Pavlovian Journal of Biological Sciences, 12(2), 63-92.
- Sterman, M. B., & Macdonald, L. R. (1978). Effects of central cortical EEG feedback training on incidence of poorly controlled seizures. Epilepsia, 19(3), 207-222.
- Sterman, M. B., & Shouse, M. N. (1980). Quantitative analysis of training, sleep EEG and clinical response to EEG operant conditioning in epileptics. Electroencephalography & Clinical Neurophysiology, 49, 558-576.
- Sterman, M. B. (1986). Epilepsy and its treatment with EEG feedback therapy. Annals of Behavioral Medicine, 8, 21-25.
- Sterman, M. B. (1997). The challenge of EEG biofeedback in the treatment of epilepsy: A view from the trenches. Biofeedback, 25(1), 6-7, 20-21, 23.
- Sterman, M. B. (2000). Basic concepts and clinical findings in the treatment of seizure disorders with EEG operant conditioning. Clinical Electroencephalography, 31(1), 45-55.
- Sterman, M. B., & Lantz, D. (2001). Changes in lateralized memory performance in subjects with epilepsy following neurofeedback training. Journal of Neurotherapy, 5, 63-72.
- Sterman, M. B., & Egner, T. (2006). Foundation and practice of neurofeedback for the treatment of epilepsy. Applied Psychophysiology & Biofeedback, 31(1), 21-36.
- Strehl, U., Trevorrow, T., Veit, R., Hinterberger, T., Kotchoubey, B., Erb, M., & Birbaumer, N. (2006). Deactivation of brain areas during self-regulation of slow cortical potentials in seizure patients. Applied Psychophysiology & Biofeedback, 31(1), 85-94.
- Swingle, P. G. (1998). Neurofeedback treatment of pseudo seizure disorder. Biological Psychiatry, 44(11), 1-4.
- Tansey, M. A. (1985). The response of a case of petit mal epilepsy to EEG sensorimotor rhythm biofeedback training. International Journal of Psychophysiology, 3, 81-84.
- Tozzo, C.A., Elfner, L. F., & May Jr., J. G. (1988). Biofeedback and relaxation training in the control of epileptic seizures. International Journal of Psychophysiology, 6, 185-194.
- Uhlmann, C., & Froscher, W. (2001). Biofeedback treatment in patients with refractory epilepsy: Changes in depression and control orientation. Seizure, 10(1), 34-38.
- Upton, A. R., & Longmire, D. (1975). The effects of feedback on focal epileptic discharges in man: A preliminary report. Canadian Journal of Neurological Sciences, 2, 153-167.
- Walker, J. E., & Kozlowski, G. P. (2005). Neurofeedback treatment of epilepsy. Child & Adolescent Psychiatric Clinics of North America, 14(1), 163-176
- Whitsett, S. F., Lubar, J. F., Holder, G. S., et al. (1982). A double-blind investigation of the relationship between seizure activity and the sleep EEG following EEG biofeedback training. Biofeedback & Self-Regulation, 7, 193-209.
- Wyler, A. R., Robbins, C. A., & Dodrill, C. B. (1979). EEG operant conditioning for control of epilepsy. Epilepsia, 20, 279-286.
- Zhao, L., Liang, Z., Hu, G., & Wu, W. (2005). Nonlinear analysis in treatment of intractable epilepsy with EEG biofeedback. Conference Proceedings IEEE Engineering, Medical, & Biological Science, 5, 4568-4571.

ADD/ADHD, Learning & Developmental Disabilities, & Academic-Cognitive Enhancement

- Albert, A. O., Andrasik, F., Moore, J. L., & Dunn, B. R. (1998). Theta/beta training for attention, concentration and memory improvement in the geriatric population. Applied Psychophysiology & Biofeedback, 23(2), 109. Abstract.
- Alhambra, M. A., Fowler, T. P., & Alhambra, A. A. (1995). EEG biofeedback: A new treatment option for ADD/ADHD. Journal of Neurotherapy, 1(2), 39-43.
- Barabasz, A., & Barabasz, M. (1996). Neurotherapy and alert hypnosis in the treatment of attention deficit disorder. Chapter in S. J. Lynn, I. Kirsch, & J. W. Rhue (Eds.), Casebook of Clinical Hypnosis. Washington, D.C.: American Psychological Association Press, pp. 271-292.

- Barabasz, A., & Barabasz, M. (2000). Treating AD/HD with hypnosis and neurotherapy. Child Study Journal, 30(1), 25-42.
- Beauregard, M., & Levesque, J. (2006). Functional magnetic resonance imaging investigation of the effects of neurofeedback training on the neural bases of selective attention and response inhibition in children with attention-deficit/hyperactivity disorder. Applied Psychophysiology & Biofeedback, 31(1), 3-20.
- Becerra J, Fernandez T, Harmony T, Caballero MI, Garcia F, Fernandez-Bouzas A, Santiago-Rodriguez E, Prado-Alcalá RA. (2006) "Follow-up study of Learning Disabled children treated with Neurofeedback or placebo." Clinical EEG & Neuroscience, 37 (3), 198-203.
- Boyd, W. D., & Campbell, S. E. (1998). EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. Journal of Neurotherapy, 2(4), 65-71.
- Budzynski, T. H. (1996). Brain brightening: Can neurofeedback improve cognitive process? Biofeedback, 24(2), 14-17.
- Carmody, D. P., Radvanski, D. C., Wadhvani, S., Sabo, J. J., & Vergara, L. (2001). EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. Journal of Neurotherapy, 4(3), 5-27.
- Carter, J. L., & Russell, H. L. (1991). Changes in verbal performance IQ discrepancy scores after left hemisphere frequency control training: A pilot report. American Journal of Clinical Biofeedback, 4(1), 66-67.
- Cunningham, M., & Murphy, P. (1981). The effects of bilateral EEG biofeedback on verbal, visuospatial and creative skills in LD male adolescents. Journal of Learning Disabilities, 14(4), 204-208.
- Egner, T., & Gruzelier, J. H. (2001). Learned self-regulation of EEG frequency components affects attention and event-related brain potentials in humans. NeuroReport, 12, 4155-4159.
- Egner, T., & Gruzelier, J. H. (2004). EEG biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. Clinical Neurophysiology, 115(1), 131-139.
- Fehmi, L. G. (1978). EEG biofeedback, multichannel synchrony training, and attention. Chapter in A. A. Sugarman & R. E. Tarter (Eds.), Expanding Dimensions of Consciousness. New York: Springer.
- Fehmi, L. G., & Selzer, F. A. (1980). Biofeedback and attention training. Chapter in S. Boorstein (Ed.), Transpersonal Psychotherapy. Palo Alto: Science and Behavior Books.
- Fernandez, T., Herrera, W., Harmony, T., Diaz-Comas, L., Santiago, E., Sanchez, L., Bosch, J., Fernandez-Bouzas, A., Otero, G., Ricardo-Garcell, J., Barraza, C., Aubert, E., Galan, L., & Valdes, P. (2003). EEG and behavioral changes following neurofeedback treatment in learning disabled children. Clinical Electroencephalography, 34(3), 145-150.
- Fleischman, M. J., & Othmer, S. (2005). Case study: Improvements in IQ score and maintenance of gains following EEG biofeedback with mildly developmentally delayed twins. Journal of Neurotherapy, 9(4), 35-46.
- Foks, M. (2005). Neurofeedback training as an educational intervention in a school setting: How the regulation of arousal states can lead to improved attention and behaviour in children with special needs. Educational & Child Psychology, 22(3), 67-77.
- Fox, D. J., Tharp, D. F., & Fox, L. C. (2005). Neurofeedback: An alternative and efficacious treatment for attention deficit hyperactivity disorder. Applied Psychophysiology & Biofeedback, 30(4), 365-274.
- Fuchs, T., Birbaumer, N., Lutzenberger, W., Gruzelier, J. H., & Kaiser, J. (2003). Neurofeedback treatment for attention deficit/hyperactivity disorder in children: A comparison with methylphenidate. Applied Psychophysiology and Biofeedback, 28, 1-12.
- Hansen, L. M., Trudeau, D., & Grace, L. (1996). Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure. Journal of Neurotherapy, 2(1), 6-14.
- Hirshberg, L. M. (2007). Place of electroencephalographic biofeedback for attention-deficit/hyperactivity disorder. Expert Review of Neurotherapeutics, 7(4), 315-319.

- Jackson, G. M., & Eberly, D. A. (1982). Facilitation of performance on an arithmetic task as a result of the application of a biofeedback procedure to suppress alpha wave activity. Biofeedback & Self-Regulation, 7(2), 211-221.
- Jacobs, E. H. (2005). Neurofeedback treatment of two children with learning, attention, mood, social, and developmental deficits. Journal of Neurotherapy, 9(4), 55-70.
- Kaiser, D. A., & Othmer, S. (2000). Effect of Neurofeedback on variables of attention in a large multi-center trial. Journal of Neurotherapy, 4(1), 5-15.
- Kotwal, D. B., Burns, W. J., & Montgomery, D. D. (1996). Computer-assisted cognitive training for ADHD: A case study. Behavior Modification, 20(1), 85-96.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., Nildshena, I. S. (2005). ERPs correlates of EEG relative beta training in ADHD children. International Journal of Psychophysiology, 55(1), 23-34.
- Leins, U., Goth, G., Hinterberger, T., Klinger, C., Rumpf, M., & Strehl, U. (2007). Neurofeedback for Children with ADHD: A Comparison of SCP and Theta/Beta Protocols. Applied Psychophysiology & Biofeedback, 32
- Levesque, J., Beaugard, M., & Mensour, B. (2006). Effect of neurofeedback training on the neural substrates of selective attention in children with attention-deficit/hyperactivity disorder: a functional magnetic resonance imaging study. Neuroscience Letters, 394(3), 216-221.
- Linden, M., Habib, T., & Radojevic, V. (1996). A controlled study of the effects of EEG biofeedback on cognition and behavior of children with attention deficit disorder and learning disabilities. Biofeedback & Self-Regulation, 21(1), 35-49.
- Loo, S., & Barkley, R. (2005). Clinical utility of EEG in attention deficit hyperactivity disorder. Applied Neuropsychology, 12(2), 64-76.
- Lubar, J. F. (1985). EEG biofeedback and learning disabilities. Theory into Practice, 26, 106-111
- Lubar, J. F. (1995). Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M. S. Schwartz (Ed.), Biofeedback: A Practitioner's Guide. New York, Guilford, 493-522.
- Lubar, J. F. (2003). Neurofeedback for the management of attention-deficit / hyperactivity disorders. Chapter in M. S. Schwartz & F. Andrasik (Eds.), Biofeedback: A Practitioner's Guide (Third Edition). New York, Guilford, 409-437.
- Lubar, J. O., & Lubar, J. F. (1984). Electroencephalographic biofeedback of SMR and beta for treatment of attention deficit disorders in a clinical setting. Biofeedback & Self-Regulation, 9, 1-23.
- Lubar, J. F., & Shouse, M. N. (1976). EEG and behavioral changes in a hyperactive child concurrent with training of the sensorimotor rhythm (SMR): A preliminary report. Biofeedback & Self-Regulation, 1(3), 293-306.
- Lubar, J. F., & Shouse, M. N. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. Advances in Clinical Child Psychology, 1, 204-251.
- Lubar, J. F., Swartwood, M. O., Swartwood, J. N., & O'Donnell, P. H. (1995). Evaluation of the effectiveness of EEG neurofeedback training for ADHD in a clinical setting as measured by changes in T.O.V.A., scores, behavioral ratings, and WISC-R performance. Biofeedback & Self-Regulation, 20(1), 83-99.
- Lutzenberger W, Elbert T, Rockstroh B, Birbaumer N. (1982) Biofeedback produced slow brain potentials and task performance. Biological Psychology, 14, 99-111.
- McKnight, J. T., & Fehmi, L. G. (2001). Attention and neurofeedback synchrony training: Clinical results and their significance. Journal of Neurotherapy, 5(1-2), 45-62.
- Monastra, V. J., (2005). Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit hyperactivity disorder: Rationale and empirical foundation. Child & Adolescent Psychiatric Clinics of North America, 14(1), 55-82.
- Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., Gruzelier, J., & LaVaque, T. J. (2005). Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. Applied Psychophysiology & Biofeedback, 30(2), 95-114.
- Monastra, V. J., Monastra, D. M., & George, S. (2002). The effects of stimulant therapy, EEG biofeedback, and parenting style on the primary symptoms of attention-deficit/hyperactivity disorder. Applied Psychophysiology & Biofeedback, 27(4), 231-249.

- Mulholland, T. Goodman, D., & Boudrot, R. (1983). Attention and regulation of EEG alpha-attenuation responses. Biofeedback & Self-Regulation, 8(4), 585-600.
- Nash, J. K. (2000). Treatment of attention-deficit hyperactivity disorder with neurotherapy. Clinical Electroencephalography, 31(1), 30-37.
- Norris, S. L., Lee, C-T., Burshteyn, D., & Cea-Aravena, J. (2001). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. Journal of Neurotherapy, 4(3), 29-44.
- Norris, S. L., Lee, C., Cea, J., & Burshteyn, D. (1998). Performance enhancement training effects on attention: A case study. Journal of Neurotherapy, 3(1), 19-25.
- Orlando, P. C., & Rivera, R. O. (2004). Neurofeedback for elementary students with identified learning problems. Journal of Neurotherapy, 8(2), 5-19.
- Othmer, S., Othmer, S. F., & Kaiser, D. A. (1999). EEG biofeedback: Training for AD/HD and related disruptive behavior disorders. Chapter in J. A. Incorvaia & B. F. Mark-Goldstein, & D. Tessmer (Eds.), Understanding, Diagnosing, & Treating AD/HD in Children and Adolescents. New York: Aronson, 235-297
- Patrick, G. J. (1996). Improved neuronal regulation in ADHD: An application of 15 sessions of photic-driven EEG neurotherapy. Journal of Neurotherapy, 1(4), 27-36.
- Pratt, R. R., Abel, H., & Skidmore, J. (1995). The effects of neurofeedback training with background music on EEG patterns of ADD and ADHD children. International Journal of Arts Medicine, 4(1), 24-31.
- Pulvermuller, F., Mohr, B., Schleichert, H., & Veit, R. (2000). Operant conditioning of left-hemispheric slow cortical potentials and its effect on word processing. Biological Psychology, 53, 177-215.
- Putnam, J. A., Othmer, S. F., Othmer, S., & Pollock, V. E. (2005). TOVA results following interhemispheric bipolar EEG training. Journal of Neurotherapy, 9(1), 37-52.
- Rasey, H. W., Lubar, J. E., McIntyre, A., Zoffuto, A. C., & Abbott, P. L. (1996). EEG biofeedback for the enhancement of attentional processing in normal college students. Journal of Neurotherapy, 1(3), 15-21.
- Rockstroh, B., Elbert, T., Lutzenberger, W., & Birbaumer, N. (1990). Biofeedback: Evaluation and therapy in children with attentional dysfunction. Chapter in A. Rothenberger (Ed.), Brain and Behaviour in Child Psychiatry. Berlin: Springer Verlag, pp. 345-357.
- Rossiter, T. R. (2004). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. Applied Psychophysiology & Biofeedback, 29(2), 135-140.
- Rossiter, T. R. (2005). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part II. Replication. Applied Psychophysiology & Biofeedback, 29(4), 233-243.
- Rossiter, T. (2002). Neurofeedback for AD/HD: A ratio feedback case study. Journal of Neurotherapy, 6(3), 9-35.
- Rossiter, T. R. (1998). Patient directed neurofeedback for ADHD. Journal of Neurotherapy, 2(4), 54-63.
- Rossiter, T. R., & La Vaque, T. J. (1995). A comparison of EEG biofeedback and psychostimulants in treating attention deficit/hyperactivity disorders. Journal of Neurotherapy, 1, 48-59.
- Russell, H. L., & Carter, J. L. (1997). EEG Driven Audio-Visual Stimulation Unit for Enhancing Cognitive Abilities of Learning Disordered Boys: Final Report. Washington, D.C.: U.S. Department of Education (SBIR), Contract number RA94130002.
- Scheinbaum, S., Zecker, S., Newton, C. J., & Rosenfeld, P. (1995). A controlled study of EEG biofeedback as a treatment for attention-deficit disorders. In "Proceedings of the 26th Annual Meeting of the Association for Applied Psychophysiology and Biofeedback" pp. 131-134.
- Sheer, D. E. (1975). Biofeedback training of 40-Hz EEG and behavior. Chapter in N. Burch & H. I. Altshuler (Eds.), Behavior and Brain Electrical Activity. New York: Plenum.
- Sheer, D. E. (1977). Biofeedback training of 40-Hz EEG and behavior. Chapter in J. Kamiya et al., Biofeedback and Self-Control 1976/1977. An Annual Review. Chicago: Aldine.

- Shin, D. I., Lee, J. H., Lee, S. M., Kim, I. Y., & Kim, S. I. (2004). Neurofeedback training with virtual reality for inattention and impulsiveness. Cyberpsychology & Behavior, *7*(5), 519-526.
- Shouse, M. N., & Lubar, J. F. (1979). Operant conditioning of EEG rhythms and Ritalin in the treatment of hyperkinesis. Biofeedback & Self-Regulation, *4*(4), 299-311.
- Strehl, U., Leins, U., Goth, G., Klinger, C., Hinterberger, T., and Birbaumer, N. (2006). Self-regulation of slow cortical potentials: A new treatment for children with attention-deficit/hyperactivity disorder. Pediatrics, *118*, 1530-1540.
- Swingle, P. G. (2001). Parameters associated with rapid neurotherapeutic treatment of common ADD (CADD). Journal of Neurotherapy, *5*(4), 73-84.
- Swingle, P. G. (1996). Sub threshold 10-Hz sound suppresses EEG theta: Clinical application for the potentiation of neurotherapeutic treatment of ADD/ADHD. Journal of Neurotherapy, *2*(1), 15-22.
- Tansey, M. A. (1984). EEG sensorimotor rhythm biofeedback training: Some effects on the neurological precursors of learning disabilities. International Journal of Psychophysiology, *3*, 85-99.
- Tansey, M. A. (1985). Brainwave signatures--An index reflective of the brain's functional neuroanatomy: Further findings on the effect of EEG sensorimotor rhythm biofeedback training on the neurologic precursors of learning disabilities. International Journal of Psychophysiology, *3*, 85-89.
- Tansey, M. A. (1990). Righting the rhythms of reason: EEG biofeedback training as a therapeutic modality in a clinical office setting. Medical Psychotherapy, *3*, 57-68.
- Tansey, M. A. (1991). Wechsler (WISC-R) changes following treatment of learning disabilities via EEG biofeedback in a private practice setting. Australian Journal of Psychology, *43*, 147-153.
- Tansey, M. A. (1993). Ten-year stability of EEG biofeedback results for a hyperactive boy who failed fourth grade perceptually impaired class. Biofeedback & Self-Regulation, *18*, 33-44.
- Tansey, M. A., & Bruner, R. L. (1983). EMG and EEG biofeedback training in the treatment of 10-year old hyperactive boy with a developmental reading disorder. Biofeedback & Self-Regulation, *8*(1), 25-37.
- Thompson, L., & Thompson, M. (1998). Neurofeedback combined with training in metacognitive strategies: Effectiveness in students with ADD. Applied Psychophysiology & Biofeedback, *23*(4), 243-263.
- Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. Child & Adolescent Psychiatric Clinics of North America, *14*(1), 137-162.
- Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. Journal of Neurotherapy, *4*(2), 27-44.
- Valdez, M. (1985). Effects of biofeedback-assisted attention training in a college population. Biofeedback & Self-Regulation, *10*(4), 315-324.
- Vernon, D., Egner, T., Cooper, N., Compton, T., Neilands, C., Sheri, A., & Gruzelier, J. (2003). The effect of training distinct neurofeedback protocols on aspects of cognitive performance. International Journal of Psychophysiology, *47*, 75-85.
- Wadhvani, S., Radvanski, D. C., & Carmody, D. P. (1998). Neurofeedback training in a case of attention deficit hyperactivity disorder. Journal of Neurotherapy, *3*(1), 42-49.
- Walker, J. E., & Norman, C. A. (2006). The neurophysiology of dyslexia: A selective review with implications for neurofeedback remediation and results of treatment in twelve consecutive patients. Journal of Neurotherapy, *10*(1), 45-55.
- Warner, D.A., Barabasz, A., & Barabasz, M. (2000). The efficacy of Barabasz's alert hypnosis and neurotherapy on attentiveness, impulsivity and hyperactivity in children with ADHD. Child Study Journal, *30*(1), 43-49.
- Xiong, Z., Shi, S., & Xu, H. (2005). A controlled study of the effectiveness of EEG biofeedback training on children with attention deficit hyperactivity disorder. Journal of Huazhong University of Science & Technology, *25*(3), 368-370.

Anxiety Disorders, Post Traumatic Stress Disorder, & Sleep Disorders

- Bell, J. S. (1979). The use of EEG theta biofeedback in the treatment of a patient with sleep-onset insomnia. Biofeedback & Self Regulation, 4(3), 229-236.
- Berner, I., Schabus, M., Wienerroither, T., & Klimesch, W. (2006). The significance of sigma neurofeedback training on sleep spindles and aspects of declarative memory. Applied Psychophysiology & Biofeedback, 31(2), 97-114.
- Brody, S., Rau, H., Kohler, F., Schupp, H., Lutzenberger, W., & Birbaumer, N. (1994). Slow cortical potential biofeedback and the startle reflex. Biofeedback & Self-Regulation, 19(1), 1-12.
- Burti, L., & Siciliani, O. (1983). Increase in alpha-rhythm in anxious subjects using biofeedback: A preliminary study. Psichiatria Generale e dell'Eta Evolutiva, 21(2-4), 79-97.
- Chisholm, R. C., DeGood, D. E., & Hartz, M. A. (1977). Effects of alpha feedback training on occipital EEG, heart rate, and experiential reactivity to a laboratory stressor. Psychophysiology, 14(2), 157-163.
- Egner, T., & Gruzelier, J. H. (2004). The temporal dynamics of electro_encephalographic responses to alpha/theta neurofeedback training in healthy subjects. Journal of Neurotherapy, 8(1), 43-57.
- Egner, T., Strawson, E., & Gruzelier, J. H. (2002). EEG signature and phenomenology of alpha/theta neurofeedback training versus mock feedback. Applied Psychophysiology & Biofeedback, 27(4), 261-270.
- Feinstein, B., Serman, M. B., & MacDonald, L. R. (1974). Effects of sensorimotor rhythm training on sleep. Sleep Research, 3, 134.
- Garrett, B. L., & Silver, M. P. (1976). The use of EMG and alpha biofeedback to relieve test anxiety in college students. Chapter in I. Wickramasekera (Ed.), Biofeedback, Behavior Therapy, and Hypnosis. Chicago: Nelson-Hall.
- Gluck, B. C., & Stroebel, C. F. (1975). Biofeedback and meditation in the treatment of psychiatric illness. Comprehensive Psychiatry, 16(4), 303-321.
- Graap, K., Ready, D. J., Freides, D., Daniels, B., & Baltzell, D. (1997). EEG biofeedback treatment for Vietnam veterans suffering from posttraumatic stress disorder. Journal of Neurotherapy, 2(3), 65-66. [Conference Paper]
- Hammond, D. C. (2005). Neurofeedback with anxiety and affective disorders. Child & Adolescent Psychiatric Clinics of North America, 14(1), 105-123.
- Hardt, J. V., & Kamiya, J. (1978). Anxiety change through electroencephalographic alpha feedback seen only in high anxiety subjects. Science, 201, 79-81.
- Holmes, D. S., Burish, T. G., & Frost, R. O. (1980). Effects of instructions and biofeedback in EEG-alpha production and the effects of EEG-alpha biofeedback training for controlled arousal in a subsequent stressful situation. Journal of Research in Personality, 14(2), 212-223.
- Huang, -Storms, L., Bodenhamer-Davis, E., Davis, R., & Dunn, J. (2006). QEEG-guided neurofeedback for children with histories of abuse and neglect: Neurodevelopmental rationale and pilot study. Journal of Neurotherapy, 10(4), 3-16.
- Kirschbaum, J., & Gisti, E. (1973). Correlations of alpha percentage in EEG, alpha feedback, anxiety scores from MAS and MMQ. Archives fur Psychologie, 125(4), 263-273.
- McKnight, J. T., & Fehmi, L. G. (2001). Attention and neurofeedback synchrony training: Clinical results and their significance. Journal of Neurotherapy, 5(1-2), 45-62.
- Mills, G. K., & Solyom, L. (1974). Biofeedback of EEG alpha in the treatment of obsessive ruminations: An exploration. Journal of Behaviour Therapy & Experimental Psychiatry, 5, 37-41.
- Moore, N. C. (2000). A review of EEG biofeedback treatment of anxiety disorders. Clinical Electroencephalography, 31(1), 1-6.
- Moore, J. P., Trudeau, D. L., Thuras, P. D., Rubin, Y., Stockley, H., & Dimond, T. (2000). Comparison of alpha-theta, alpha and EMG neurofeedback in the production of alpha-

- theta crossover and the occurrence of visualizations. Journal of Neurotherapy, 4(1), 29-42.
- Norris, S. L., Lee, C-T., Burshteyn, D., & Cea-Aravena, J. (2001). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. Journal of Neurotherapy, 4(3), 29-44.
- Peniston, E. G., & Kulkosky, P. J. (1991). Alpha-theta brainwave neuro-feedback therapy for Vietnam veterans with combat-related post-traumatic stress disorder. Medical Psychotherapy, 4, 47-60.
- Peniston, E. G., Marrinan, D. A., Deming, W. A., & Kulkosky, P. J. (1993). EEG alpha-theta brainwave synchronization in Vietnam theater veterans with combat-related post-traumatic stress disorder and alcohol abuse. Advances in Medical Psychotherapy, 6, 37-50.
- Plotkin, W. B., & Rice, K. M. (1981). Biofeedback as a placebo: Anxiety reduction facilitated by training in either suppression or enhancement of alpha brainwaves. Journal of Consulting & Clinical Psychology, 49, 590-596.
- Putnam, J. (2000). The effects of brief, eyes-open alpha brain wave training with audio and video relaxation induction on the EEG of 77 Army reservists. Journal of Neurotherapy, 4(1), 17-28.
- Raymond, J., Varney, C., Parkinson, L. A., & Gruzelier, J.H. (2005). The effects of alpha/theta neurofeedback on personality and mood. Brain Research & Cognitive Brain Research, 23(2-3), 287-292.
- Rice, K. M., Blanchard, E. B., & Purcell, M. (1993). Biofeedback treatments of generalized anxiety disorder: Preliminary results. Biofeedback & Self-Regulation, 18, 93-105.
- Sattlberger, E., & Thomas, J. E. (2000). Treatment of anxiety disorder with slow-wave suppression EEG feedback: A case study. Biofeedback, 28(4), 17-19.
- Sittenfeld, P., Budzynski, T. H., & Stoyva, J. M. (1976). Differential shaping of EEG theta rhythms. Biofeedback & Self-Regulation, 1, 31-46.
- Sterman, M. B. (1977). Effects of sensorimotor EEG feedback on sleep and clinical manifestations of epilepsy. Chapter in J. Beatty & H. Legewie (Eds.), Biofeedback and Behavior. New York: Plenum, pp. 167-200.
- Sterman, M. B., Howe, R. D., & Macdonald, L. R. (1970). Facilitation of spindle-burst sleep by conditioning of electroencephalographic activity while awake. Science, 167, 1146-1148.
- Thomas, J. E., & Sattlberger, B. A. (1997). Treatment of chronic anxiety disorder with neurotherapy: A case study. Journal of Neurotherapy, 2(2), 14-19.
- Valdez, M. (1988). A program of stress management in a college setting. Psychotherapy in Private Practice, 6(2), 43-54.
- Vanathy, S., Sharma, P. S. V. N., & Kumar, K. B. (1998). The efficacy of alpha and theta neurofeedback training in treatment of generalized anxiety disorder. Indian Journal of Clinical Psychology, 25(2), 136-143.
- Watson, C. G., Herder, J., & Passini, F. T. (1978). Alpha biofeedback therapy in alcoholics: An 18-month follow-up. Journal of Clinical Psychology, 34(2), 765-769.

Depression, Withdrawal, Hemispheric Asymmetry, Anger & Pre Menstrual Syndrome

- Allen, J. B., & Cavendar, J. H. (1996). Biofeedback alters EEG asymmetry. Psychophysiology, 33(suppl), S17, (Abstract).
- Baehr, E., & Baehr, R. (1997). The use of brainwave biofeedback as an adjunctive therapeutic treatment for depression: Three case studies. Biofeedback, 25(1), 10-11.
- Baehr, E., Miller, E., Rosenfeld, J. P., & Baehr, R. (2004). Changes in frontal brain asymmetry associated with premenstrual dysphoric disorder: A single case study. Journal of Neurotherapy, 8(1), 29-42.

- Baehr, E., Rosenfeld, J. P., & Baehr, R. (1997). The clinical use of an alpha asymmetry protocol in the neurofeedback treatment of depression: Two case studies. Journal of Neurotherapy, 2(3), 10-23.
- Baehr, E., Rosenfeld, J. P., & Baehr, R. (2001). Clinical use of an alpha asymmetry neurofeedback protocol in the treatment of mood disorders: Follow-up study one to five years post therapy. Journal of Neurotherapy, 4(4), 11-18.
- Hammond, D. C. (2005). Neurofeedback with anxiety and affective disorders. Child & Adolescent Psychiatric Clinics of North America, 14(1), 105-123
- Hammond, D. C. (2001). Neurofeedback treatment of depression with the Roshi. Journal of Neurotherapy, 4(2), 45-56.
- Hammond, D. C. (2001). Neurofeedback training for anger control. Journal of Neurotherapy, 5(4), 98-103.
- Hardman, E., Gruzelier, J., Chessman, K., Jones, C., Liddiard, D., Schleichert, H., & Birbaumer, N. (1997). Frontal interhemispheric asymmetry: Self-regulation and individual differences in humans. Neuroscience Letters, 221, 117-120.
- Jenkins, P., & Moore, W. H. (1985). The effects of visual feedback on hemispheric alpha asymmetries and reported processing strategies: A single-subject experimental design. Brain & Cognition, 4(1), 47-58.
- Kotchoubey, B., Schleichert, H., Lutzenberger, W., Anokhin, A. P., & Birbaumer, N. (1996). Self-regulation of interhemispheric asymmetry in humans. Neuroscience Letters, 215, 91-94.
- Kumano, H., Horie, H., Shidara, T., Kuboki, T. et al. (1996). Treatment of a depressive disorder patient with EEG-driven photic stimulation. Biofeedback & Self-Regulation, 21(4), 323-334.
- Putnam, J. A., (2001). EEG biofeedback on a female stroke patient with depression: A case study. Journal of Neurotherapy, 5(3), 27-38.
- Raymond, J., Varney, C., Parkinson, L. A., & Gruzelier, J. H. (2005). The effects of alpha/theta neurofeedback on personality and mood. Cognitive Brain Research, 23, 287-292.
- Rockstroh, B., Elbert, T., Birbaumer, N. J., & Lutzenberger, W. (1990). Biofeedback-produced hemispheric asymmetry of slow cortical potentials and its behavioural effects. International Journal of Psychophysiology, 9, 151-165.
- Rosenfeld, J. P. (2000). An EEG biofeedback protocol for affective disorders. Clinical Electroencephalography, 31(1), 7-12.
- Rosenfeld, J. P. (1997). EEG biofeedback of frontal alpha asymmetry in affective disorders. Biofeedback, 25(1), 8-25.
- Rosenfeld, J. P., Baehr, E., Baehr, R., Gotlib, I. H., & Ranganath, C. (1996). Preliminary evidence that daily changes in frontal alpha asymmetry correlate with changes in affect in therapy sessions. International Journal of Psychophysiology, 23, 137-141.
- Rosenfeld, J. P., Cha, G., Blair, T., & Gotlib, I. (1995). Operant biofeedback control of left-right frontal alpha power differences. Biofeedback & Self-Regulation, 20, 241-258.
- Saxby, E., & Peniston, E. G. (1995). Alpha-theta brainwave neurofeedback training: an effective treatment for male and female alcoholics with depressive symptoms. Journal of Clinical Psychology, 51, 685-693.
- Schneider, F., Heimann, H., Mattes, R., Lutzenberger, W., & Birbaumer, N. (1992). Self-regulation of slow cortical potentials in psychiatric patients: Depression. Biofeedback & Self-Regulation, 17, 203-214.
- Uhlmann, C., & Froscher, W. (2001). Biofeedback treatment in patients with refractory epilepsy: Changes in depression and control orientation. Seizure, 10, 34-38.

Addictive Disorders

- Burkett, V. S., Cummins, J. M., Dickson, R. M., & Skolnick, M. (2005). An open clinical trial utilizing real-time EEG operant conditioning as an adjunctive therapy in the treatment of crack cocaine dependence. Journal of Neurotherapy, 9(2), 27-48.

- Fahrion, S. L., Walters, E. D., Coyne, L., & Allen, T. (1992). Alterations in EEG amplitude, personality factors and brain electrical mapping after alpha theta brainwave training: A controlled case study of an alcoholic in recovery. Alcoholism: Clinical & Experimental Research, 16, 547-552.
- Fahrion, S. L. (1995). Human potential and personal transformation. Subtle Energies, 6, 55-88.
- Goldberg, R. J., et al. (1976). Alpha conditioning as an adjunct treatment for drug dependence: Part I. International Journal of Addiction, 11, 1085-1089.
- Goldberg, R. J., et al. (1977). Alpha conditioning as an adjunct treatment for drug dependence: Part II. International Journal of Addiction, 12, 195-204.
- Kelly, M. J. (1997). Native Americans, neurofeedback, and substance abuse theory: Three year outcome of alpha/theta neurofeedback training in the treatment of problem drinking among Dine= (Navajo) people. Journal of Neurotherapy, 2(3), 24-60.
- Lamontague, Y., Hand, I., Annable, L., et al. (1975). Physiological and psychological effects of alpha and EMG feedback training with college drug users: A pilot study. Canadian Psychiatric Association Journal, 20, 337-349.
- Passini, F., Watson, C. G., Dehnel, L., Herder, J., & Watkins, B. (1977). Alpha wave biofeedback training therapy in alcoholics. Journal of Clinical Psychology, 33(1), 292-299.
- Peniston, E. G., & Kulkosky, P. J. (1989). Alpha-theta brainwave training and beta-endorphin levels in alcoholics. Alcohol: Clinical & Experimental Research, 13(2), 271-279.
- Peniston, E. G., & Kulkosky, P. J. (1991). Alcoholic personality and alpha-theta brainwave training. Medical Psychotherapy, 2, 37-55.
- Peniston, E. G., Marrinan, D. A., Deming, W. A., & Kulkosky, P. J. (1993). EEG alpha-theta brainwave synchronization in Vietnam theater veterans with combat-related post-traumatic stress disorder and alcohol abuse. Advances in Medical Psychotherapy, 6, 37-50.
- Saxby, E., & Peniston, E. G. (1995). Alpha-theta brainwave neurofeedback training: An effective treatment for male and female alcoholics with depressive symptoms. Journal of Clinical Psychology, 51(5), 685-693.
- Schneider, F., Elbert, T., Heimann, H., Welker, A., Stetter, F., Mattes, R., Birbaumer, N., & Mann, K. (1993). Self-regulation of slow cortical potentials in psychiatric patients: Alcohol dependency. Biofeedback & Self-Regulation, 18, 23-32.
- Scott, W., & Kaiser, D. (1998). Augmenting chemical dependency treatment with neurofeedback training. Journal of Neurotherapy, 3(1), 66.
- Trudeau, D. L. (2005). Applicability of brain wave biofeedback to substance use disorder

- in adolescents. Child & Adolescent Psychiatric Clinics of North America, 14(1), 125-136.
- Trudeau, D. L. (2000). The treatment of addictive disorders by brain wave biofeedback: A review and suggestions for future research. Clinical Electroencephalography, 31(1), 13-22.
- Watson, C. G., Herder, J., & Passini, F. T. (1978). Alpha biofeedback therapy in alcoholics: An 18-month follow-up. Journal of Clinical Psychology, 34(3), 765-769.

Brain Injury, Stroke, Coma, Spasticity, & Cerebral Palsy

- Ayers, M. E. (1981). A report on a study of the utilization of electroencephalography for the treatment of cerebral vascular lesion syndromes. Chapter in L. Taylor, M. E. Ayers, & C. Tom (Eds.), Electromyometric Biofeedback Therapy. Los Angeles: Biofeedback and Advanced Therapy Institute, pp. 244-257.
- Ayers, M. E. (1987). Electroencephalic neurofeedback and closed head injury of 250 individuals. Head Injury Frontiers. National Head Injury Foundation, 380-392.
- Ayers, M. E. (1991). A controlled study of EEG neurofeedback training and clinical psychotherapy for right hemispheric closed head injury. Paper presented at the National Head Injury Foundation, Los Angeles, 1991.
- Ayers, M. E. (1995a). A controlled study of EEG neurofeedback and physical therapy with pediatric stroke, age seven months to age fifteen, occurring prior to birth. Biofeedback & Self-Regulation, 20(3), 318.
- Ayers, M. E. (1995b). EEG neurofeedback to bring individuals out of level 2 coma. Biofeedback & Self-Regulation, 20(3), 304-305.
- Ayers, M. E. (1999). Assessing and treating open head trauma, coma, and stroke using real-time digital EEG neurofeedback. Chapter in J. R. Evans & A. Abarbanel (Eds.), Introduction to Quantitative EEG and Neurofeedback. New York: Academic Press, pp. 203-222.
- Ayers, M. E. (2004). Neurofeedback for cerebral palsy. Journal of Neurotherapy, 8(2), 93-94.
- Bachers, A. (2004). Neurofeedback with cerebral palsy and mental retardation. Journal of Neurotherapy, 8(2), 95-96.
- Bearden, T. S., Cassisi, J. E., & Pineda, M. (2003). Neurofeedback training for a patient with thalamic and cortical infarctions. Applied Psychophysiology & Biofeedback, 28(3), 241-253.
- Bounias, M., Laibow, R. E., Bonaly, A., & Stubblebine, A. N. (2001). EEG-neurobiofeedback treatment of patients with brain injury: Part 1: Typological classification of clinical syndromes. Journal of Neurotherapy, 5(4), 23-44.
- Bounias, M., Laibow, R. E., Stubblebine, A. N., Sandground, H., & Bonaly, A. (2002). EEG-neurobiofeedback treatment of patients with brain injury Part 4: Duration of treatments as a function of both the initial load of clinical symptoms and the rate of rehabilitation. Journal of Neurotherapy, 6(1), 23-38.
- Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. Journal of Neurotherapy, 1(1), 22-37.
- Duff, J. (2004). The usefulness of quantitative EEG (QEEG) and neurotherapy in the assessment and treatment of post-concussion syndrome. Clinical EEG & Neuroscience, 35(4), 198-209.
- Ham, L. P., & Packard, R. C. (1996). A retrospective, follow-up study of biofeedback-assisted relaxation therapy in patients with posttraumatic headache. Biofeedback & Self-Regulation, 21(2), 93-104.
- Hammond, D. C. (in press). Neurofeedback to improve physical balance, incontinence, and swallowing. Journal of Neurotherapy, 9(1), 27-48.
- Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996a). Symptom changes in the treatment of mild traumatic brain injury using EEG neurofeedback [Abstract]. Clinical Electroencephalography, 27(3), 164.
- Hoffman, D. A., Stockdale, S., & Van Egren, L. (1996b). EEG neurofeedback in the treatment of mild traumatic brain injury [Abstract]. Clinical Electroencephalography, 27(2), 6.
- Keller, I. (2001). Neurofeedback therapy of attention deficits in patients with traumatic brain injury. Journal of Neurotherapy, 5, 19-32.

- Laibow, R. E., Stubblebine, A. N., Sandground, H., & Bounias, M. (2001). EEG neurobiofeedback treatment of patients with brain injury: Part 2: Changes in EEG parameters versus rehabilitation. Journal of Neurotherapy, *5*(4), 45-71
- Putnam, J. A., (2001). EEG biofeedback on a female stroke patient with depression: A case study. Journal of Neurotherapy, *5*(3), 27-38.
- Rozelle, G. R., & Budzynski, T. H. (1995). Neurotherapy for stroke rehabilitation: A single case study. Biofeedback & Self-Regulation, *20*(3), 211-228.
- Schoenberger, N. E., Shiflett, S. C., Esty, M. L., Ochs, L., & Matheis, R. J. (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation. Journal of Head Trauma Rehabilitation, *16*(3), 260-274.
- Sterman, M. B., Ayers, M. E., & Goodman, S. J. (1976). Case study: Effects of SMR suppression on EEG and motor patterns in a quadriplegic patient. Biofeedback & Self-Regulation, *1*(3), 340-341.
- Thatcher, R. W. (2000). EEG operant conditioning (biofeedback) and traumatic brain injury. Clinical Electroencephalography, *31*(1), 38-44.
- Thornton, K. (2000). Improvement/rehabilitation of memory functioning with neurotherapy/QEEG biofeedback. Journal of Head Trauma Rehabilitation, *15*(6), 1285-1296.
- Thornton, K. (2001). Electrophysiology of auditory memory of paragraphs towards a projection/activation theory of the mind. Journal of Neurotherapy, *4*(3), 45-72.
- Thornton, K. (2002) Rehabilitation of Memory functioning with EEG Biofeedback, Neurorehabilitation, *17*(1), 69-81
- Thornton, K. E., & Carmody, D. P. (2005). Electroencephalogram biofeedback for reading disability and traumatic brain injury. Child & Adolescent Psychiatric Clinics of North America, *14*(1), 137-162.
- Tinius, T. P., & Tinius, K. A. (2001). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit disorder. Journal of Neurotherapy, *4*(2), 27-44.
- Wing, K. (2001). Effect of neurofeedback on motor recovery of a patient with brain injury: A case study and its implications for stroke rehabilitation. Topics in Stroke Rehabilitation, *8*(3), 45-53.

Chronic Fatigue Syndrome, Fibromyalgia, & Autoimmune Dysfunction

- Brown, V. W. (1995). Neurofeedback and Lyme's Disease: A clinical application of the five phase model of CNS functional transformation and integration. Journal of Neurotherapy, *1*(2), 60-73.
- Donaldson, C. C. S., Sella, G. E., & Mueller, H. H. (1998). Fibromyalgia: A retrospective study of 252 consecutive referrals. Canadian Journal of Clinical Medicine, *5*(6), 116-127.
- Hammond, D. C. (2001). Treatment of chronic fatigue with neurofeedback and self-hypnosis. NeuroRehabilitation, *16*, 295-300.
- James, L. C., & Folen, R. A. (1996). EEG biofeedback as a treatment for chronic fatigue syndrome: A controlled case report. Behavioral Medicine, *22*(2), 77-81.
- Mueller, H. H., Donaldson, C. C. S., Nelson, D. V., & Layman, M. (2001). Treatment of fibromyalgia incorporating EEG-driven stimulation: A clinical outcomes study. Journal of Clinical Psychology, *57*(7), 933-952.
- Packard, R. C., & Ham, L. R. (1995). EEG biofeedback in the treatment of Lyme Disease: A case study. Journal of Neurotherapy, *1*(3), 22-30.
- Tansey, M. A. (1993). Neurofeedback and chronic fatigue syndrome: New findings with respect to diagnosis and treatment. CFIDS Chronicle, *9*, 30-32.

Pain & Headache

- Coger, R., & Werbach, M. (1975). Attention, anxiety, and the effects of learned enhancement of EEG alpha in chronic pain: A pilot study in biofeedback. Chapter in B. L. Drue, Jr. (Ed.), Pain Research and Treatment. New York: Academic Press.
- Gannon, L., & Sternbach, R. A. (1971). Alpha enhancement as a treatment for pain: A case study. Behavior Therapy & Experimental Psychiatry, 2, 209-213.
- Ham, L. P., & Packard, R. C. (1996). A retrospective, follow-up study of biofeedback-assisted relaxation therapy in patients with posttraumatic headache. Biofeedback & Self-Regulation, 21(2), 93-104.
- Lehmann, D., Lang, W., & Debruyne, P. (1976). Controlled EEG alpha feedback training in normals and headache patients. Archives of Psychiatry, 221, 331-343.
- Matthew, A., Mishm, H., & Kumamiah, V. (1987). Alpha feedback in the treatment of tension headache. Journal of Personality & Clinical Studies, 3(1), 17-22.
- McKenzie, R., Ehrisman, W., Montgomery, P. S., & Barnes, R. H. (1974). The treatment of headache by means of electroencephalographic biofeedback. Headache, 13, 164-172.
- Pelletier, K. R., & Pepper, E. (1977). Developing a biofeedback model: Alpha EEG feedback as a means for pain control. International Journal of Clinical & Experimental Hypnosis, 25, 361-371.
- Rosenfeld, J. P., Dowman, R., Heinricher, N., & Silvia, R. (1984). Operantly controlled somatosensory evoked potentials: Specific effects on pain processes. Chapter in B. Rockstroh, T. Elbert, W. Lutzenberger, & N. Birbaumer (Eds.), Self-Regulation of the Brain and Behavior. Berlin: Springer-Verlag, pp. 164-179.
- Rosenfeld, J. P., Silvia, R., Weitkunat, R., & Dowman, R. (1985). Operant control of human somatosensory evoked potentials alters experimental pain perception. Chapter in H. L. Fields, R. Dubner, & F. Cervero (Eds.), Advances in Pain Research and Therapy, Volume 9: Proceedings of the Fourth World Congress on Pain. New York: Raven Press, 343-349.
- Sime, A. (2004). Case study of trigeminal neuralgia using neurofeedback and peripheral biofeedback. Journal of Neurotherapy, 8(1), 59-71.
- Siniatchkin, M., Hierundar, A., Kropp, P., Kuhnert, R., Gerber, W-D., & Stephani, U. (2000). Self-regulation of slow cortical potentials in children with migraine: An exploratory study. Applied Psychophysiology & Biofeedback, 25(1), 13-32.
- Tansey, M. A. (1991). A neurobiological treatment for migraine: The response of four cases of migraine to EEG biofeedback training. Headache Quarterly: Current Treatment & Research, 90-96.

Schizophrenia

- Gruzelier, J. (2000). Self regulation of electrocortical activity in schizophrenia and schizotypy: A review. Clinical Electroencephalography, 31(1), 23-29.
- Gruzelier, J., Hardman, E., Wild, J., Zaman, R., Nagy, A., & Hirsch, S. (1999). Learned control of interhemispheric slow potential negativity in schizophrenia. International Journal of Psychophysiology, 34, 341-348.
- Schneider, F., Rockstroh, B., Heimann, H. et al. (1992). Self-regulation of slow cortical potentials in psychiatric patients: Schizophrenia. Biofeedback & Self-Regulation, 17, 277-292.

Obsessive Compulsive Disorder

- Hammond, D. C. (2003). QEEG-guided neurofeedback in the treatment of obsessive compulsive disorder. Journal of Neurotherapy, 7(2), 25-52.
- Hammond, D. C. (2004). Treatment of the obsessional subtype of obsessive compulsive disorder with neurofeedback. Biofeedback, 32, 9-12.

Parkinson's Dystonia

Thompson, M., & Thompson, L. (2002). Biofeedback for movement disorders (dystonia with Parkinson's disease): Theory and preliminary results. Journal of Neurotherapy, 6(4), 51-70.

Tourette's Syndrome

Tansey, M. A. (1986). A simple and a complex tic (Gilles de la Tourette's syndrome): Their response to EEG sensorimotor rhythm biofeedback training. International Journal of Psychophysiology, 4(2), 91-97.

Autism

Jarusiewicz, B. (2002). Efficacy of neurofeedback for children in the autistic spectrum: A pilot study. Journal of Neurotherapy, 6(4), 39-49.

Scolnick, B. (2005). Effects of electroencephalogram biofeedback with Asperger's syndrome. International Journal of Rehabilitation Research, 28(2), 159-163.

Sichel, A. G., Fehmi, L. G., & Goldstein, D. M. (1995). Positive outcome with neurofeedback treatment of a case of mild autism. Journal of Neurotherapy, 1(1), 60-64.

Creativity & Optimal Functioning, Cognitive Decline with Aging

Albert, A. O., Andrasik, F., Moore, J. L., & Dunn, B. R. (1998). Theta/beta training for attention, concentration and memory improvement in the geriatric population. Applied Psychophysiology & Biofeedback, 23(2), 109. Abstract.

Angelakis, E., Stathopoulou, S., Frymiare, J. L., Green, D. L., Lubar, J. F., & Kounios, J. (2007). EEG neurofeedback: A brief overview and an example of peak alpha frequency training for cognitive enhancement in the elderly. Clinical Neuropsychology, 21(1), 110-129.

Boynton, T. (2001). Applied research using alpha/theta training for enhancing creativity and well-being. Journal of Neurotherapy, 5(1-2), 5-18.

Budzynski, T. H. (1996). Brain brightening: Can neurofeedback improve cognitive process? Biofeedback, 24(2), 14-17.

Egner, T., & Gruzelier, J. H. (2003). Ecological validity of neurofeedback: Modulation of slow wave EEG enhances musical performance. NeuroReport, 14(9), 1221-1224.

Egner, T., & Gruzelier, J. H. (2004). EEG biofeedback of low beta band components: Frequency-specific effects on variables of attention and event-related brain potentials. Clinical Neurophysiology, 115, 131-139.

Egner, T., & Gruzelier, J. H. (2004). The temporal dynamics of electroencephalographic responses to alpha/theta neurofeedback training in healthy subjects. Journal of Neurotherapy, 8(1), 43-57.

Gruzelier, J., Egner, T., & Vernon, D. (2006). Validating the efficacy of neurofeedback for optimising performance. Progress in Brain Research, 159, 421-431.

Hanslmayer, S., Sauseng, P., Doppelmayr, M., Schabus, M., & Klimesch, W. (2005). Increasing individual upper alpha by neurofeedback improves cognitive performance in human subjects. Applied Psychophysiology & Biofeedback, 30(1), 1-10.

Raymond, J., Sajid, I., Parkinson, L. A., & Gruzelier, J. H. (2005). Biofeedback and dance performance: A preliminary investigation. Applied Psychophysiology & Biofeedback, 30(1), 65-74.

Vernon, D. J. (2005). Can neurofeedback training enhance performance? An evaluation of the evidence with implications for future research. Applied Psychophysiology & Biofeedback, 30(4), 347-364.

Asthma

Tansey, M. A. (1992). EEG sensorimotor biofeedback training and the treatment of a six-year old asthmatic child. American Journal of Clinical Biofeedback, 5,(2), 145-149.

Hypertension

Norris, S. L., Lee, C-T., Burshteyn, D., & Cea-Aravena, J. (2001). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. Journal of Neurotherapy, 4(3), 29-44.

Dissociative Disorders

Manchester, C., Allen, T., & Tachiki, K. H. (1998). Treatment of dissociative identity disorder with neurotherapy and group self-exploration. Journal of Neurotherapy, 2(4), 40-53.

Mason, L. A., & Brownback, T. S. (2001). Optimal functioning training with EEG biofeedback for clinical populations: A case study. Journal of Neurotherapy, 5(1-2), 33-44.

Tinnitus

Gosepath, K., Nafe, B., Ziegler, E., & Mann, W. J. (2001). Neurofeedback training as a therapy for tinnitus. HNO (German), 49(1), 29-35.

Schenk, S., Lamm, K., Gundel, H., & Ladwig, K. H. (2005). Effects of neurofeedback-based EEG alpha and EEG beta training in patients with chronically decompensated tinnitus. HNO (German), 53(1), 29-38.

Weiler, E. W., Brill, K., Tachiki, K. H., & Schneider, D. (2001). Neurofeedback and quantitative electroencephography. International Journal of Tinnitus, 8(2), 87-93.

Criminals and Juvenile Offenders

Martin, G., & Johnson, C. L. (2005). The Boys Totem Town Neurofeedback Project: A pilot study of EEG biofeedback with incarcerated juvenile felons. Journal of Neurotherapy, 9(3), 71-86.

Quirk, D. A. (1995). Composite biofeedback conditioning and dangerous offenders: III. Journal of Neurotherapy, 1(2), 44-54.

Smith, P. N., & Sams, M. W. (2005). Neurofeedback with juvenile offenders: A pilot study in the use of QEEG-based and analog-based remedial neurofeedback training. Journal

of Neurotherapy, 9(3), 87-99.

Medical Conditions

- Monjezi, S., & Lyle, R. R. (2006). Neurofeedback treatment of type I diabetes mellitus: Perceptions of quality of life and stabilization of insulin treatment—Two case studies. Journal of Neurotherapy, 10(4), 17-23.
- Montgomery, P. S. (2006). Allergy pattern in the EEG. Journal of Neurotherapy, 10(1), 89-92.

Adverse Reactions

- Hammond, D. C., Stockdale, S., Hoffman, D., Ayers, M. E., & Nash, J. (2001). Adverse reactions and potential iatrogenic effects in neurofeedback training. Journal of Neurotherapy, 4(4), 57-69.
- Lubar, J. F., Shabsin, H. S., Natelson, S. E. et al. (1981). EEG operant conditioning in intractible epileptics. Archives of Neurology, 38, 700-704.
- Lubar, J. F. & Shouse, M. N. (1976). EEG and behavioral changes in a hyperactive child concurrent with training of the sensorimotor rhythm (SMR): A preliminary report. Biofeedback & Self-Regulation, 1(3), 293-306.
- Lubar, J. F., & Shouse, M. N. (1977). Use of biofeedback in the treatment of seizure disorders and hyperactivity. Advances in Clinical Child Psychology, 1, 204-251.
- Whitsett, S. F., Lubar, J. F., Holder, G. S., & Natelson, S. (1982). A double-blind investigation of the relationship between seizure activity and the sleep EEG following EEG biofeedback training. Biofeedback & Self-Regulation, 7, 193-209.

Theoretical-Conceptual, Standards, & Review Articles

- Abarbanel, A. (1995). Gates, states, rhythms, and resonances: The scientific basis of neurofeedback training. Journal of Neurotherapy, 1(2), 15-38.
- Butnik, S. M. (2005). Neurofeedback in adolescents and adults with attention deficit disorder. Journal of Clinical Psychology, 61(5), 621-625.
- Egner, T., Zech, T. F., & Gruzelier, J. H. (2004). The effects of neurofeedback training on the spectral topography of the electroencephalogram. Clinical Neurophysiology, 115, 2452-2460.
- Egner, T., & Serman, M. B. (2006). Neurofeedback treatment of epilepsy: From basic rationale to practical application. Expert Review of Neurotherapeutics, 6(2), 247-257.
- Fehmi, L. G., & Sundor, A. (1989). The effects of electrode placement upon EEG biofeedback training: The monopolar-bipolar controversy. International Journal of Psychosomatics, 36(1-4), 23-33.
- Fox, D. J., Tharp, D. F., & Fox, L. C. (2005). Neurofeedback: An alternative and efficacious treatment for attention deficit hyperactivity disorder. Applied Psychophysiology & Biofeedback, 30(4), 365-274.
- Gruzelier, J., & Egner, T. (2005). Critical validation studies of neurofeedback. Child & Adolescent Psychiatric Clinics of North America, 14(1), 83-104.
- Hammond, D. C., Walker, J., Hoffman, D., Lubar, J. F., Trudeau, D., Gurnee, R., & Horvat, J. (2004). Standards for the use of quantitative electroencephalography (QEEG) in neurofeedback: A position paper of the International Society for Neuronal Regulation. Journal of Neurotherapy, 8(1), 5-27.
- Hammond, D. C. (2005). Temporal lobes and their importance in neurofeedback. Journal of Neurotherapy, 9(1), 67-87.
- Hammond, D. C. (2006). What is neurofeedback? Journal of Neurotherapy, 10(4), 25-36.
- Hirshberg, L. M. (2007). Place of electroencephalographic biofeedback for attention-deficit/hyperactivity disorder. Expert Review of Neurotherapeutics, 7(4), 315-319.

- Holtmann, M., Stadler, C., Leins, U., Strehl, U., Birbaumer, N., & Poustka, F. (2004). Neurofeedback for the treatment of attention-deficit/hyperactivity disorder (ADHD) in childhood and adolescence. Zeitschrift für Kinder-und Jugendpsychiatrie und Psychotherapie, 32(3), 187-200.
- Kaiser, D. A. (2006). What is quantitative EEG? Journal of Neurotherapy, 10(4), 25-36.
- Lubar, J. F. (1991). Discourse on the development of EEG diagnostics and biofeedback for attention-deficit/hyperactivity disorders. Biofeedback & Self-Regulation, 16(3), 201-225.
- Lubar, J. F. (1997). Neocortical dynamics: Implications for understanding the role of neurofeedback and related techniques for the enhancement of attention. Applied Psychophysiology & Biofeedback, 22(2), 111-126.
- Lubar, J. F. (2003). Neurofeedback for the management of attention-deficit/hyperactivity disorders. Chapter in M. S. Schwartz & F. Andrasik (Eds.), Biofeedback: A Practitioner's Guide (Third Edition). New York, Guilford, 409-437.
- Monastra, V. J. (2003). Clinical applications of electroencephalographic biofeedback. Chapter in M. S. Schwartz & F. Andrasik (Eds.), Biofeedback: A Practitioner's Guide (Third Edition). New York, Guilford, 438-463.
- Monastra, V. J. (2005). Electroencephalographic biofeedback (neurotherapy) as a treatment for attention deficit disorder: Rational and empirical foundation. Child & Adolescent Psychiatric Clinics of North America, 14(1), 53-82.
- Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., Gruzelier, J., & LaVaque, T. J. (2005). Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. Applied Psychophysiology & Biofeedback, 30(2), 95-114.
- Nelson, L. A. (2003). Neurotherapy and the challenge of empirical support: A call for a neurotherapy practice research network. Journal of Neurotherapy, 7(2), 53-67.
- Othmer, S. (2005). Interhemispheric EEG training. Journal of Neurotherapy, 9(2), 87-96.
- Rossiter, T. R. (2004). The effectiveness of neurofeedback and stimulant drugs in treating AD/HD: Part I. Review of methodological issues. Applied Psychophysiology & Biofeedback, 29(2), 135-140.
- Sams, M. W., (1995). Mathematically derived frequency correlates in cerebral function: Theoretical and clinical implications for neurofeedback treatment. Journal of Neurotherapy, 1(2), 1-14.
- Serman, M. B., & Egner, T. (2006). Foundation and practice of neurofeedback for the treatment of epilepsy. Applied Psychophysiology & Biofeedback, 31(1), 21-36.
- Strehl, U., Leins, U., Goth, G., Klinger, C., Hinterberger, T., and Birbaumer, N. (2006). Self-regulation of slow cortical potentials: A new treatment for children with attention-deficit/hyperactivity disorder. Pediatrics, 118, 1530-1540.
- Strehl, U., Trevorrow, T., Veit, R., Hinterberger, T., Kotchoubey, B., Erb, M., & Birbaumer, N. (2006). Deactivation of brain areas during self-regulation of slow cortical potentials in seizure patients. Applied Psychophysiology & Biofeedback, 31(1), 85-94.
- Vernon, D., Frick, A., & Gruzelier, J. (2004). Neurofeedback as a treatment for ADHD: A methodological review with implications for future research. Journal of Neurotherapy, 8(2), 53-82.
- Walker, J. (2004). A neurologist's advice for mental health professionals on the use of QEEG and neurofeedback. Journal of Neurotherapy, 8(2), 97-103.

Slow Cortical Potential Neurofeedback

- Birbaumer, N., Elbert, T., Canavan, A. G. M., & Rockstroh, B. (1990). Slow potentials of the cerebral cortex and behavior. Physiological Reviews, 70, 1-41.
- Birbaumer, N., Roberts, L. E., Lutzenberger, W., Rockstroh, B., & Elbert, T. (1992). Area-specific self-regulation of slow cortical potentials on the sagittal midline and its effects on behavior. Electroencephalography & Clinical Neurophysiology, 84 353-361.
- Elbert, T. (1980). Biofeedback of slow cortical potentials. Part I. Journal of Electroencephalography & Clinical Neurophysiology, 48, 293-301.

- Elbert, T., Lutzenberger, W., Rockstroh, B., & Birbaumer, N. (1983). When regulation of slow brain potentials fails BA contribution to the psychophysiology of perceptual aberration and anhedonia. Advances in Biological Psychiatry, 13, 98-106.
- Kotchoubey, B., Schleichert, H., Lutzenberger, W., & Birbaumer, N. (1997). A new method for self-regulation of slow cortical potentials in a timed paradigm. Applied Psychophysiology & Biofeedback, 22(2), 77-93.
- Kropp, P., Siniatchkin, M., & Gerber, W. D. (2002). On the pathophysiology of migraine: Links for Aempirically based treatment@ with neurofeedback. Applied Psychophysiology & Biofeedback, 27(3), 203-213.
- Roberts, L. E., Birbaumer, N., Rockstroh, B., Lutzenberger, W., & Elbert, T. (1989). Self-report during feedback regulation of slow cortical potentials. Psychophysiology, 26(4), 392-403.
- Rockstroh, B. (1987). Operant control of slow brain potentials. Chapter in J. N. Hengtgen, D. Hellhammer, & G. Huppmann (Eds.), Advanced Methods in Psychobiology. C. H. Hogrefe, pp. 179-190.
- Rockstroh, B., Birbaumer, N., Elbert, T., & Lutzenberger, W. (1984). Operant control of spontaneous EEG, evoked potentials and slow potentials of the brain. Biofeedback & Self-Regulation, 9(2), 139-160.
- Rockstroh, B., Elbert, T., Lutzenberger, W., & Birbaumer, N. (1982). The effects of slow cortical potentials on response speed. Psychophysiology, 19, 211-217.
- Siniatchkin, M., Kropp, P., & Gerber, W-D. (2000). Neurofeedback: The significance of reinforcement and the search for an appropriate strategy for the success of self-regulation. Applied Psychophysiology & Biofeedback, 25(3), 167-175.

LENS: Low Energy Neurofeedback System

- Cripe, C. T. (2006). Effective use of LENS unit as an adjunct to cognitive neuro-developmental training. Journal of Neurotherapy, 10(2-3), 79-87.
- Donaldson, C. C. S., Sella, G. E., & Mueller, H. H. (1998). Fibromyalgia: A retrospective study of 252 consecutive referrals. Canadian Journal of Clinical Medicine, 5(6), 116-127.
- Esty, M. L. (2006). Reflections on FMS treatment, research, and neurotherapy: Cautionary tales. Journal of Neurotherapy, 10(2-3), 63-68.
- Hammond, D. C. (Ed.). LENS: The Low Energy Neurofeedback System. Binghamton, NY: Haworth Medical Press.
- Kravitz, H. M., Esty, M. L., Katz, R. S., & Fawcett, J. (2006). Treatment of fibromyalgia syndrome using low-intensity neurofeedback with the Flexyx Neurotherapy System: A randomized controlled clinical trial. Journal of Neurotherapy, 10(2-3), 41-58.
- Larsen, S. (2006). The healing power of neurofeedback. Rochester, VT: The Healing Arts Press.
- Larsen, S., Harrington, K., & Hicks, S. (2006). The LENS (Low Energy Neurofeedback System): A clinical outcomes study of one hundred patients at Stone Mountain Center, New York. Journal of Neurotherapy, 10(2-3), 69-78.
- Larsen, S., Larsen, R., Hammond, D. C., Sheppard, S., Ochs, L., Johnson, S., Adinaro, C., & Chapman, C. (2006). The LENS neurofeedback with animals. Journal of Neurotherapy, 10(2-3), 89-104.
- Mueller, H. H., Donaldson, C. C. S., Nelson, D. V., & Layman, M. (2001). Treatment of fibromyalgia incorporating EEG-driven stimulation: A clinical outcomes study. Journal of Clinical Psychology, 57(7), 933-952.
- Ochs, L. (2006). The Low Energy Neurofeedback System (LENS): Theory, background, and introduction. Journal of Neurotherapy, 10(2-3), 5-39.
- Ochs, L. (2006). Comment on the treatment of fibromyalgia syndrome using low-intensity neurofeedback with the Flexyx Neurotherapy System: A randomized controlled clinical trial, or how to go crazy over nearly nothing. Journal of Neurotherapy, 10(2-3), 59-61.
- Schoenberger, N. E., Shiflett, S. C., Esty, M. L., Ochs, L., & Matheis, R. J. (2001). Flexyx neurotherapy system in the treatment of traumatic brain injury: An initial evaluation.

Hemoencephalography (HEG)

- Carmen, J. A. (2004). Passive infrared hemoencephalography: Four years and 100 migraines. Journal of Neurotherapy, 8(3), 23-51.
- Friedes, D., & Aberbach, L. (2003). Exploring hemispheric differences in infrared brain emissions. Journal of Neurotherapy, 8(3), 53-61.
- Mize, W. (2004). Hemoencephalography—A new therapy for attention deficit hyperactivity disorder (ADHD): Case report. Journal of Neurotherapy, 8(3), 77-97.
- Sherrill, R. (2004). Effects of hemoencephalography (HEG) training at three prefrontal locations using EEG ratios at Cz. Journal of Neurotherapy, 8(3), 63-76.
- Toomim, H., Mize, W., Kwong, P. C., Toomim, M., Marsh, R., Kozłowski, G. P., Kimball, M., & Remond, A. (2004). Intentional increase of cerebral blood oxygenation using hemoencephalography (HEG). Journal of Neurotherapy, 8(3), 5-21.

LORETA Neurofeedback

- Cannon, R., Lubar, J., Congedo, M., Thornton, K., Towler, K., & Hutchens, T. (2007). The effects of neurofeedback training in the cognitive division of the anterior cingulate gyrus. International Journal of Neuroscience, 117(3), 337-357.
- Cannon, R., Lubar, J., Gerke, A., Thornton, K., Hutchens, T., & McCammon, V. (2006). EEG spectral-power and coherence: LORETA neurofeedback training in the anterior cingulate gyrus. Journal of Neurotherapy, 10(1), 5-31.
- Congedo, M., Lubar, J. F., & Joffe, D. (2004). Low-resolution electromagnetic tomography neurofeedback. IEEE Transactions on Neural Systems & Rehabilitation Engineering, 12(4), 387-397.